Date⁵

Tuesday, 3/18/2008 3:55:17 PM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 38088

Estimate Number

: 10963

P.O. Number This Issue

: 3/18/2008

: NC

Prsht Rev.

First Issue Previous Run

: 11

: 35120

Type

S.O. No. :

: SMALL /MED FAB

Part Number

Drawing Name

: D2565211

Drawing Number

: D2565 REV E

: 3/25/2008

: STRUT

Project Number

: N/A ; E

Drawing Revision

Material

Due Date

Qty:

7 Um:

Each

Checked & Approved By

Comment

Written By

: Est: D 04.08.28 Added Powder coat, and added Inspection

level 3 and 21. SM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M304TR0750W049

304 RD Tube .750 x .049W



Comment: Qty.:

1.2600 f(s)/Unit

Total: 8.8200 f(s)

Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall

(M304TR0750W049)

Batch No:

2.0

BRAKE NC

NC BRAKE



Comment: BRAKE NC

Punch as per Dwg D2565 using DT 8313



3.0


SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Deburr and polish

Comment: SMALL & MEDIUM FAB RESOURCE 1



4.0

QC5



Comment: INSPECT WORK TO CURRENT STEP

POWDER COATING



Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3



Dart Aerospace Ltd

W/O:			WORK ORDER	CHANGES		·.		
DATE	STEP	PR	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					· · · · · · · · · · · · · · · · · · ·			
Part No	:	PAR #:	Fault Category:	NCR: Yes	No DQ	A: 🔎	Date: <u>Č</u>	08/03/0
							Date: _	
NCR:			WORK ORDER NON-COM	FORMANCE (NC	R)			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
	STEP Description of N Section A	Description of NC		Corrective Action Section B	Verification	Ammanal	A			
DATE			Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
						,				
			·							
·										

NOTE: Date & initial all entries

Tuesday, 3/18/2008 3:55:17 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: STRUT Customer: CU-DAR001 Dart Helicopters Services Job Number: 38088 Part Number: D2565211 Job Number: Description: Seq. #: Machine Or Operation: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

DuitA	. oopao	o Eta								
W/O:			WC	ORK ORDER CHAN	NGES			- L		
DATE	STEP	PR	PROCEDURE CHANGE				Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
										:
							- 1,			
Part No	:	PAR #:			NCR	: Yes I	No DQ /	A:	Date: _	
						QA: N/	C Closed	d:	_ Date: _	
NCR:			WORK ORD	ER NON-CONFORI	MANCE	(NCR				
DATE	OTED	STEP Description of NC Section A	Corrective Action Section B			Verification Appl		Approval	Approval	
DATE	SIEP		Initial Chief Eng	Action Description Chief Eng	n	Sign & Date	Section C		Chief Eng	QC Inspector
-										
					Ì					


NOTE: Date & initial all entries





DESIGN #		DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
CHEC	KED	APPROVED	DRAWING NO. REV. E				
	-	111	D2565 SHEET 1 OF 1				
DATE			TITLE SCALE				
04.0	05.05		STRUT 1:3				
Α		96.05.03	NEW ISSUE				
В		97.03.15	CORRECT D2565-111 DIM. A				
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)				
D [']		02.06.05	ADD -3XX PARTS; ADD FINISH				
Ε		04.05.05	ADD D2565-401-411; RMV ANGLE D				





	····	
A		DIA C
	19.72	0.316
18.21	17.41	0.316
20.19	19.39	0.316
13.43	12.63	_
12.31	11.51	
22.79	22.00	0.316
		0.316
		0.316
		-
15.16	14.36	_
	13.34	
27.03	26.23	0.316
		0.316
		0.316
		<u> </u>
		_
18.29	17.49	0.316
15.64		0.316
19.45		0.316
	20.52 18.21 20.19 13.43 12.31 13.65 22.79 20.75 21.22 16.07 15.16 14.14 27.03 25.34 23.73 20.86 20.17 16.30 18.29 15.64 19.45	20.52 19.72 18.21 17.41 20.19 19.39 13.43 12.63 12.31 11.51 13.65 12.85 22.79 22.00 20.75 19.95 21.22 20.42 16.07 15.27 15.16 14.36 14.14 13.34 27.03 26.23 25.34 24.54 23.73 22.93 20.86 20.06 20.17 19.37 16.30 15.50 18.29 17.49 15.64 14.84 19.45 18.65 10.79 9.99 9.34 8.54

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3

3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

RETURN TO ENGINEERING UNCONTROLLED COP SUBJECT TO AMENDMENT WITHOUT NOTICE

SHOP COPY

WORK CROSS

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





	DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
1	CHECKED	APPROVED	DRAWING NO.	REV. A			
	May	14	D2638 SHE	ET 1 OF 1			
	DATE		TITLE	SCALE			
	98.04.28		PUNCH DT8117 SPEC CONTROL	1:1			
	Α	98.04.28	NEW ISSUE				



SPECIFICATION CONTROL DRAWING FOR PUNCH DT8117

